Although experiments to determine optimum dimensions for the graphite blackbody are still underway, promising results have been obtained to date with a cylindrical enclosure 4½ in. long and 1½ in. in diameter, having walls 3/16 in. thick. The exit end of the tube has a ⅜ in. opening shielded by a conical graphite end-piece ¾ in. long, which contains a second similar opening.

The blackbody is heated by an induction method in a 6-turn water-cooled coil, powered by an industrial radio-frequency generator operating at 450 kc. The graphite tube is insulated by tightly packed boron powder in a high-temperature porcelain container. An alundum ceramic tube between the graphite core and porcelain container increases physical stability. By enclosing this "furnace" in an airtight helium-filled chamber, oxidation of the graphite at high temperatures is considerably reduced.

The distribution of radiant energy at various temperatures is detected by a double quartz prism spectro-radiometer. Two aluminized mirrors (one plane and the other spherical) are employed to focus an image of the blackbody opening on the slit of the optical system. The spectral energy output is detected by a photo-multiplier, then amplified, and recorded on a strip chart.

Data were obtained with this arrangement for blackbody temperatures from 2,000° to above 2,600° K—measured with an optical pyrometer. Except at the highest temperatures, little depreciation of the graphite core occurred. Above 2,500° or 2,600° K, some chemical reaction between the heated graphite and boron nitride resulted in the production of boron carbide on the outer surface of the graphite. However, this does not appear to affect the radiation from the blackbody.

In comparing the radiation of this graphite enclosure at temperatures in the neighborhood of 2,000° K with calculations based on Planck's law, it was found that the radiation output closely approximates that of an ideal blackbody. Furthermore, calculations based upon the physical characteristics of the graphite tube support this conclusion. Such data indicate the practicability of using this rf-heated graphite blackbody as a reference standard for setting up working lamp standards of spectral radiant energy within the ultraviolet region to about 250 mμ. As a consequence, a group of strip lamps are being calibrated for absolute spectral radiant energy output through the region of 250 to 750 mμ.

# Index to Technical News Bulletin—Volume 43, 1959


## A

| | Page |
|---|---|
| Absolute basis for ultraviolet radiometry (Dec.) | 247 |
| Ad Hoc science committee to review NBS program (Mar.) | 51 |
| Administrative changes, recent (Oct.) | 198 |
| Alaska, presentation of measurement standards to (May) | 89 |
| Alloys, high-temperature, analysis of certain metallic elements in (May) | 90 |
| Alsop Award given to James M. Cassel (Aug.) | 157 |
| Analog computer for estimating fire endurance (Feb.) | 32 |
| Analog computer, problem solving on the (Oct.) | 188 |
| Announcement on the international yard and pound (Jan.) | 1 |
| Announcing: New four-part Journal of Research (June) | 102 |
| Antennas, precision, for radio propagation research (Nov.) | 203 |
| Arctic radio communication conference (Nov.) | 213 |
| Arsenate, phosphate, and silicate, separation and determination of (July) | 137 |
| Asphalt, changes occurring during processing (Mar.) | 61 |
| Assistance to other standards laboratories (Feb.) | 21 |
| Atomic length standards, research on (May) | 85 |
| Attenuation measurement, ultraprecise (Dec.) | 230 |
| Automatic reader for high-precision balances (Jan.) | 10 |
| Award, Alsop, given to James M. Cassel (Aug.) | 157 |
| Award, Burgess, received by Digges (Mar.) | 62 |
| Award, Flemming, received by Mandelkern (Apr.) | 70 |
| Award, Guggenheim, received by Tchen and Danos (July) | 129 |
| Award, IRE, received by Herbstreit (Mar.) | 49 |
| Award, spectroscopy, received by Scribner (Apr.) | 83 |
| Award, Turner, received by D. E. Parsons (May) | 91 |
| Award, Williams, received by Dickinson (July) | 135 |

## B

| | |
|---|---|
| Background and use of the international yard and pound (Jan.) | 2 |
| Balances, high-precision, automatic reader for (Jan.) | 10 |
| Bibliography of NBS publications of interest to other standards laboratories (Dec.) | 243 |
| Bounding of gold to fused silica (Apr.) | 82 |
| Books by NBS authors, recent (Mar.) | 64 |
| Boulder Laboratories, new division (Radio Communications and Systems) and other organizational changes (May) | 98 |
| Bureau physicists win Guggenheim awards (July) | 129 |

## C

| | |
|---|---|
| Calibration activities, mechanizing (Dec.) | 245 |
| Calibration activities, rapid growth of (Dec.) | 221 |
| Calibration of liquid-in-glass thermometers, NBS Circular (Feb.) | 25 |
| Calibration service established, vibration pickup (Sept.) | 166 |
| Candlepower standards, new (Sept.) | 163 |
| Cassel receives Alsop Award (Aug.) | 157 |
| Cements, high-temperature, heat treatment of (Jan.) | 4 |
| Census, 1960, FOSDIC III to assist in (June) | 106 |
| Central notations for color-name blocks (May) | 97 |
| Ceramics at high temperatures, strength of (July) | 128 |
| Challenge, measurement (Dec.) | 222 |
| Changes in asphalt during processing (Mar.) | 61 |
| Checking prepackaged commodities, a manual for weights and measures officials (new publication) (Aug.) | 156 |
| Chemical literature, automatic searching of (HAYSTAQ program) (Oct.) | 192 |
| Cloud-height data analyzer (Oct.) | 180 |
| Coatings, plated, porosity of (Sept.) | 161 |
| Collagen, thermal degradation of (July) | 127 |
| Color-name blocks, central notations for (May) | 97 |
| Compact apparatus for generating high pressures (Dec.) | 242 |
| Compressive properties of human enamel and dentin (Jan.) | 14 |
| Computer, analog, problems solved by (Oct.) | 188 |
| Computer routine for logical recall (Oct.) | 181 |
| Computers, organizing a network of (Feb.) | 26 |
| Concrete beams, having diagonal cracks, strains in (May) | 99 |
| Concrete, used in radiation fallout study (Aug.) | 141 |
| Confirmation of the Rydberg constant (Dec.) | 245 |
| Contour tracing for mathematical functions by analog computer (Oct.) | 190 |
| Corrosion of iron, study of (Nov.) | 208 |
| Corrosion research (Aug.) | 150 |
| Cryogenic liquids supplied for research on free radicals (Aug.) | 146 |
| Crystals, binary-compound, for solid-state research (May) | 92 |
| Cumulative data, fitting straight lines to (Aug.) | 143 |

## D

| | |
|---|---|
| Danos, Dr. Michael, wins Guggenheim award (July) | 129 |
| Data processing, recent accomplishments in (Oct.) | 177 |
| Data processing, recent papers on, by NBS authors (Oct.) | 195 |
| Data processor, pilot, under construction (Feb.) | 38 |
| Dead-weight machine, million-pound (Dec.) | 240 |
| Degredation, polyvinyl chloride (May) | 88 |
| Dental, X-ray equipment: Alteration for modern radiation hygiene—new motion picture (June) | 109 |
| Dentin and enamel, human, compressive properties (Jan.) | 14 |
| Determination of dielectric constants of pure liquids (Apr.) | 80 |
| Dickinson, John A. receives Williams Award (July) | 135 |
| Dielectric constants of pure liquids, determination of (Apr.) | 80 |
| Dielectric research at the National Bureau of Standards (Sept.) | 168 |
| Digges receives Burgess Award (Mar.) | 62 |
| Distortion, lens, evaluated with nodal slide bench (Nov.) | 208 |
| Document retreival device, automatic (Oct.) | 178 |
| Dry cells, internal resistance of (Feb.) | 23 |

## E

| | |
|---|---|
| Elastic scattering of X-rays (Aug.) | 144 |
| Electrical standards, a new basis for (Dec.) | 232 |
| Electrocardiogram analysis by electronic computer (Oct.) | 196 |
| Electronics, standards and calibration in (Dec.) | 226 |
| Enamel and dentin, human, compressive properties of (Jan.) | 14 |
| Evaluating lens distortion—two methods compared (Mar.) | 47 |
| Evaluating lens distortion with the nodal slide bench (Nov.) | 208 |
| Experimental map papers containing synthetic fibers (Jan.) | 8 |

## F

| | |
|---|---|
| Fatigue properties of high-strength steels (Apr.) | 74 |
| Fire endurance, analog computer for estimating (Feb.) | 32 |
| Fitting straight lines to cumulative data (Aug.) | 143 |

Although experiments to determine optimum dimensions for the graphite blackbody are still underway, promising results have been obtained to date with a cylindrical enclosure 4½ in. long and 1½ in. in diameter, having walls 3/16 in. thick. The exit end of the tube has a ⅜ in. opening shielded by a conical graphite end-piece ¾ in. long, which contains a second similar opening.

The blackbody is heated by an induction method in a 6-turn water-cooled coil, powered by an industrial radio-frequency generator operating at 450 kc. The graphite tube is insulated by tightly packed boron powder in a high-temperature porcelain container. An alundum ceramic tube between the graphite core and porcelain container increases physical stability. By enclosing this "furnace" in an airtight helium-filled chamber, oxidation of the graphite at high temperatures is considerably reduced.

The distribution of radiant energy at various temperatures is detected by a double quartz prism spectro-radiometer. Two aluminized mirrors (one plane and the other spherical) are employed to focus an image of the blackbody opening on the slit of the optical system. The spectral energy output is detected by a photo-multiplier, then amplified, and recorded on a strip chart.

Data were obtained with this arrangement for blackbody temperatures from 2,000° to above 2,600° K—measured with an optical pyrometer. Except at the highest temperatures, little depreciation of the graphite core occurred. Above 2,500° or 2,600° K, some chemical reaction between the heated graphite and boron nitride resulted in the production of boron carbide on the outer surface of the graphite. However, this does not appear to affect the radiation from the blackbody.

In comparing the radiation of this graphite enclosure at temperatures in the neighborhood of 2,000° K with calculations based on Planck's law, it was found that the radiation output closely approximates that of an ideal blackbody. Furthermore, calculations based upon the physical characteristics of the graphite tube support this conclusion. Such data indicate the practicability of using this rf-heated graphite blackbody as a reference standard for setting up working lamp standards of spectral radiant energy within the ultraviolet region to about 250 mμ. As a consequence, a group of strip lamps are being calibrated for absolute spectral radiant energy output through the region of 250 to 750 mμ.

# Index to Technical News Bulletin—Volume 43, 1959


## A

| | Page |
|---|---|
| Absolute basis for ultraviolet radiometry (Dec.) | 247 |
| Ad Hoc science committee to review NBS program (Mar.) | 51 |
| Administrative changes, recent (Oct.) | 198 |
| Alaska, presentation of measurement standards to (May) | 89 |
| Alloys, high-temperature, analysis of certain metallic elements in (May) | 90 |
| Alsop Award given to James M. Cassel (Aug.) | 157 |
| Analog computer for estimating fire endurance (Feb.) | 32 |
| Analog computer, problem solving on the (Oct.) | 188 |
| Announcement on the international yard and pound (Jan.) | 1 |
| Announcing: New four-part Journal of Research (June) | 102 |
| Antennas, precision, for radio propagation research (Nov.) | 203 |
| Arctic radio communication conference (Nov.) | 213 |
| Arsenate, phosphate, and silicate, separation and determination of (July) | 137 |
| Asphalt, changes occurring during processing (Mar.) | 61 |
| Assistance to other standards laboratories (Feb.) | 21 |
| Atomic length standards, research on (May) | 85 |
| Attenuation measurement, ultraprecise (Dec.) | 230 |
| Automatic reader for high-precision balances (Jan.) | 10 |
| Award, Alsop, given to James M. Cassel (Aug.) | 157 |
| Award, Burgess, received by Digges (Mar.) | 62 |
| Award, Flemming, received by Mandelkern (Apr.) | 70 |
| Award, Guggenheim, received by Tchen and Danos (July) | 129 |
| Award, IRE, received by Herbstreit (Mar.) | 49 |
| Award, spectroscopy, received by Scribner (Apr.) | 83 |
| Award, Turner, received by D. E. Parsons (May) | 91 |
| Award, Williams, received by Dickinson (July) | 135 |

## B

| | |
|---|---|
| Background and use of the international yard and pound (Jan.) | 2 |
| Balances, high-precision, automatic reader for (Jan.) | 10 |
| Bibliography of NBS publications of interest to other standards laboratories (Dec.) | 243 |
| Bounding of gold to fused silica (Apr.) | 82 |
| Books by NBS authors, recent (Mar.) | 64 |
| Boulder Laboratories, new division (Radio Communications and Systems) and other organizational changes (May) | 98 |
| Bureau physicists win Guggenheim awards (July) | 129 |

## C

| | |
|---|---|
| Calibration activities, mechanizing (Dec.) | 245 |
| Calibration activities, rapid growth of (Dec.) | 221 |
| Calibration of liquid-in-glass thermometers, NBS Circular (Feb.) | 25 |
| Calibration service established, vibration pickup (Sept.) | 166 |
| Candlepower standards, new (Sept.) | 163 |
| Cassel receives Alsop Award (Aug.) | 157 |
| Cements, high-temperature, heat treatment of (Jan.) | 4 |
| Census, 1960, FOSDIC III to assist in (June) | 106 |
| Central notations for color-name blocks (May) | 97 |
| Ceramics at high temperatures, strength of (July) | 128 |
| Challenge, measurement (Dec.) | 222 |
| Changes in asphalt during processing (Mar.) | 61 |
| Checking prepackaged commodities, a manual for weights and measures officials (new publication) (Aug.) | 156 |
| Chemical literature, automatic searching of (HAYSTAQ program) (Oct.) | 192 |
| Cloud-height data analyzer (Oct.) | 180 |
| Coatings, plated, porosity of (Sept.) | 161 |
| Collagen, thermal degradation of (July) | 127 |
| Color-name blocks, central notations for (May) | 97 |
| Compact apparatus for generating high pressures (Dec.) | 242 |
| Compressive properties of human enamel and dentin (Jan.) | 14 |
| Computer, analog, problems solved by (Oct.) | 188 |
| Computer routine for logical recall (Oct.) | 181 |
| Computers, organizing a network of (Feb.) | 26 |
| Concrete beams, having diagonal cracks, strains in (May) | 99 |
| Concrete, used in radiation fallout study (Aug.) | 141 |
| Confirmation of the Rydberg constant (Dec.) | 245 |
| Contour tracing for mathematical functions by analog computer (Oct.) | 190 |
| Corrosion of iron, study of (Nov.) | 208 |
| Corrosion research (Aug.) | 150 |
| Cryogenic liquids supplied for research on free radicals (Aug.) | 146 |
| Crystals, binary-compound, for solid-state research (May) | 92 |
| Cumulative data, fitting straight lines to (Aug.) | 143 |

## D

| | |
|---|---|
| Danos, Dr. Michael, wins Guggenheim award (July) | 129 |
| Data processing, recent accomplishments in (Oct.) | 177 |
| Data processing, recent papers on, by NBS authors (Oct.) | 195 |
| Data processor, pilot, under construction (Feb.) | 38 |
| Dead-weight machine, million-pound (Dec.) | 240 |
| Degredation, polyvinyl chloride (May) | 88 |
| Dental, X-ray equipment: Alteration for modern radiation hygiene—new motion picture (June) | 109 |
| Dentin and enamel, human, compressive properties (Jan.) | 14 |
| Determination of dielectric constants of pure liquids (Apr.) | 80 |
| Dickinson, John A. receives Williams Award (July) | 135 |
| Dielectric constants of pure liquids, determination of (Apr.) | 80 |
| Dielectric research at the National Bureau of Standards (Sept.) | 168 |
| Digges receives Burgess Award (Mar.) | 62 |
| Distortion, lens, evaluated with nodal slide bench (Nov.) | 208 |
| Document retreival device, automatic (Oct.) | 178 |
| Dry cells, internal resistance of (Feb.) | 23 |

## E

| | |
|---|---|
| Elastic scattering of X-rays (Aug.) | 144 |
| Electrical standards, a new basis for (Dec.) | 232 |
| Electrocardiogram analysis by electronic computer (Oct.) | 196 |
| Electronics, standards and calibration in (Dec.) | 226 |
| Enamel and dentin, human, compressive properties of (Jan.) | 14 |
| Evaluating lens distortion—two methods compared (Mar.) | 47 |
| Evaluating lens distortion with the nodal slide bench (Nov.) | 208 |
| Experimental map papers containing synthetic fibers (Jan.) | 8 |

## F

| | |
|---|---|
| Fatigue properties of high-strength steels (Apr.) | 74 |
| Fire endurance, analog computer for estimating (Feb.) | 32 |
| Fitting straight lines to cumulative data (Aug.) | 143 |

Page

Flight-load data-processing center, recommendations for (Oct.) ... 194
Flow rates, fuel, standardizing of (Nov.) ... 204
Fluoroaromatic polymers as high-temperature and radiation-resistant materials (Apr.) ... 76
Force measurements, new dead-weight machine for (Dec.) ... 240
FOSDIC III to assist in 1960 census (June) ... 106
Fourier analysis by analog computer (Oct.) ... 189
Free-radical stabilization, fourth international symposium on (August 31 to September 2) (Mar.) ... 62
(July) ... 139
(Nov.) ... 201
Free-radical stabilization, patent for (Sept.) ... 175
Free radicals, trapped, glass Dewars for study of (Feb.) ... 40
Free radicals, trapped, spectroscopic study of (Sept.) ... 164
Fuel flow rates, standardizing of (Nov.) ... 204
Furnace, temperature-gradient (Jan.) ... 7

## G

Galvanic corrosion studies (Aug.) ... 152
Gamma radiation, fallout, penetration of (Aug.) ... 141
Gamma-ray radioactivity standards, new (Nov.) ... 203
Gamma-ray standards, point-source (Dec.) ... 238
Gas thermometry, high-temperature (Dec.) ... 235
Gaseous electronics conference, twelfth annual (July) ... 125
Gases in metals, standard samples for (July) ... 134
Geomagnetic effects of nuclear explosions (July) ... 121
German transformer tested (Nov.) ... 207
Glass Dewars for trapped radical studies (Feb.) ... 40
Glass spheres for calibrating sieves, standard samples of (Aug.) ... 148
Glass volumetric apparatus, testing of (new publication) (Sept.) ... 168
Glasses, heat-resistant zinc borosilicate (Mar.) ... 50
Gold bonded to fused silica (Apr.) ... 82
Graphical diagnosis of interlaboratory tests (Jan.) ... 16
Growth of metal single crystals (July) ... 136

## H

Handbook 69 published: Maximum permissable body burdens and maximum permissible concentration of radionuclides in air and water for occupational exposure (Aug.) ... 149
HAYSTAQ—a program for automatic searching of chemical literature (Oct.) ... 192
Heartbeat, human, high-speed computer to analyze (Oct.) ... 196
Heat-resistant zinc borosilicate glasses (Mar.) ... 50
Heat treatment of high-temperature cements (Jan.) ... 4
Helium liquefaction and transportation (Feb.) ... 30
Herbstreit receives IRE award (Mar.) ... 49
Highlights of the fourth international symposium on free radical stabilization (Nov.) ... 201
High-pressure effects on solids studied by infrared spectroscopy (July) ... 138
High-pressure standards program expanded at the National Bureau of Standards (Dec.) ... 241
High-resolution infrared grating spectrometer (Feb.) ... 42
High-speed computer to analyze human heartbeat (Oct.) ... 196
High-temperature alloys, separation and determination of certain elements in (May) ... 90
High-temperature cements, heat treatment of (Jan.) ... 4
High-temperature gas thermometry (Dec.) ... 235
High-temperature resistance of fluoraromatic polymers (Apr.) ... 76
High-temperature resistance thermometry (Dec.) ... 233
High-temperatures, strength of ceramics at (July) ... 128
Hydrogen isotopes, low-temperature distillation of (June) ... 116

## I

Improved magnetic core digital circuitry (Oct.) ... 186
Information retrieval, experimental computer routine for study of (Oct.) ... 181
Infrared grating spectrometer, high-resolution (Feb.) ... 42
Infrared spectroscopy used to study high-pressure effects on solids (July) ... 138
Interferometer for testing large surfaces (Mar.) ... 53
Internal resistance of dry cells (Feb.) ... 23
International Committee on Weights & Measures, report of 1958 meeting (Jan.) ... 3
International yard and pound, announcement of the (Jan.) ... 1
Interlaboratory tests, graphical diagnosis of (Jan.) ... 16
Ionosphere, vertical incidence scatter from (Aug.) ... 157
Iron corrosion study (Nov.) ... 208
Isotopes, hydrogen, separated by distillation (June) ... 116

## J

Journal of Research, new four-part (June) ... 102

## L

Length of international yard, announcement on (Jan.) ... 1
Length standards, atomic, research on (May) ... 85
Lens design aided by computer routine (Oct.) ... 191
Lens distortion evaluated with nodal slide bench (Nov.) ... 208
Lens distortion, two methods for evaluating (Mar.) ... 47
LENSTAR aids lens design (Oct.) ... 191
Logical recall, a computer routine for (Oct.) ... 181
Low-temperature distillation of hydrogen isotopes (June) ... 116
Low-temperature production of ozone (Feb.) ... 29
Low temperatures, precision thermometry for (Dec.) ... 234

## M

Machine translation of Russian (June) ... 101
Magnetic core digital circuitry (Oct.) ... 186
Magnetic tape, performance of (Mar.) ... 52

Page

Mandelkern receives Flemming Award (Apr.) ... 70
Manometer for calibrating high-altitude pressure devices (Apr.) ... 71
Map papers, experimental, containing synthetic fibers (Jan.) ... 8
Maximum permissible body burdens and maximum permissible concentrations of radionuclides in air and water for occupational exposure (NBS Handbook 69) (Aug.) ... 149
Measurement challenge (Dec.) ... 222
Measurement of resistor noise (Mar.) ... 48
Measurement of small internal diameters (correction) (Dec.) ... 225
Mechanical degradation of polymers (June) ... 104
Mechanism of stress-corrosion cracking (Mar.) ... 63
Mechanizing calibration activities (Dec.) ... 245
Metal single crystals, growth of (July) ... 136
Meteor burst communication system (Nov.) ... 210
Metric system, Secretary of Commerce speaks on (July) ... 124
Microwave power standards, recent international comparisons of (Aug.) ... 155
Million-pound dead-weight machine designed for new NBS site (Dec.) ... 240
Molybdenum chlorides, preparation of (Mar.) ... 55

## N

National conference on weights and measures, 44th (Nov.) ... 217
National Committee on Radiation Protection and Measurements (NCRP) recommendations published in NBS Handbook 69 (Aug.) ... 149
NBS Annual Report, 1958 (May) ... 96
NBS program to be reviewed by Ad Hoc Science Committee (Mar.) ... 51
Neutron physics research at NBS (Mar.) ... 56
New basis for electrical standards (Dec.) ... 232
New candlepower standards (Sept.) ... 163
New gamma-ray radioactivity standards (Nov.) ... 203
New motion picture: Dental X-ray equipment: Alteration for modern radiation hygiene (June) ... 109
New nickel oxide standard for spectrographic and chemical analysis (Apr.) ... 75
New prefixes for units (Oct.) ... 199
New publication: 1958 NBS Annual Report (May) ... 96
New publication: Calibration of liquid-in-glass thermometers (Feb.) ... 25
New publication: Maximum permissible body burdens and maximum permissible concentrations of radionuclides in air and water for occupational exposure (Aug.) ... 149
New publication: Testing of glass volumetric apparatus (Sept.) ... 168
New radium solution standards (Aug.) ... 156
New standard on sound insulation measurement (Jan.) ... 13
New trends in standards (Jan.) ... 7
Nickel oxide standard for spectrographic and chemical analysis (Apr.) ... 75
Noise in resistors, measurement of (Mar.) ... 48
Nuclear explosions, geomagnetic effects of (July) ... 121
Nuclear magnetic resonance used in solid-state research (May) ... 92
Nucleus, atomic, shape of (Mar.) ... 45

## O

Optical pryometer temperature scale, symposium on (June) ... 114
Organizing a network of computers (Feb.) ... 26
Ozone, low-temperature production of (Feb.) ... 29

## P

Packaged switching circuits (Oct.) ... 184
Paper research (June) ... 110
Papers for maps, experimental (Jan.) ... 8
Parsons receives Turner award (May) ... 91
Patent for free-radical stabilization (Sept.) ... 175
Penetration of fallout gamma radiation (Aug.) ... 141
Performance of magnetic tape (Mar.) ... 52
Phosphate, silicate, and arsenate, separation and determination of (July) ... 137
Photonuclear research (Mar.) ... 45
Pilot data processor now under construction at NBS (Feb.) ... 38
Plans for the fourth international free radicals symposium (July) ... 139
Plasma jet as a spectroscopic source (July) ... 126
Plastics: Studies of poly (vinyl chloride) degradation (May) ... 88
Plated coatings, porosity of (Sept.) ... 161
Point-source gamma-ray standards (Dec.) ... 238
Polymers, mechanical degradation of (June) ... 104
Polyvinyl chloride degradation (May) ... 88
Porosity of plated coatings (Sept.) ... 161
Pound, announcement on the International (Jan.) ... 1
Power standards, microwave, international comparisons of (Aug.) ... 155
Precision antennas set up for radio propagation research (Nov.) ... 203
Precision thermometry for low temperatures (Dec.) ... 234
Prefixes for units, new (Oct.) ... 199
Presentation of measurement standards to Alaska (May) ... 89
Preparation of molybdenum chlorides (Mar.) ... 55
Pressure devices, high-altitude, manometer for calibrating (Apr.) ... 71
Pressure, high, NBS program expanded (Dec.) ... 241
Pressures, high, compact apparatus for generating (Dec.) ... 242
Problem solving on the analog computer (Oct.) ... 188
Providing liquid refrigerants to research workers (Aug.) ... 146
Publications of interest to other standards laboratories, a bibliography of NBS (Dec.) ... 243

## R

Radiant intensity, spectral, standards of (Nov.) ... 209
Radiation Committee (NCRP) recommendations published in NBS Handbook 69 (Aug.) ... 149
Radiation, fallout, penetration of (Aug.) ... 141
Radiation resistance of fluoroaromatic polymers (Apr.) ... 76
Radio and electronics, standards and calibration in (Dec.) ... 226
Radio communication conference, Arctic (Nov.) ... 213
Radio Communications and Systems Division established (May) ... 98
Radio propagation research, precision antennas set up for (Nov.) ... 203

Page

Radioactivity standards, new gamma-ray (Nov.) 203
Radiometry, ultraviolet, absolute basis for (Dec.) 247
Radium solution standards (Aug.) 156
Ramberg appointed science officer in Rome (Feb.) 37
Rapid selector for automatic document retrieval (Oct.) 178
Reactions with low activation energies, studies of (Nov.) 206
Reader, automatic, for high-precision balances (Jan.) 10
Recent accomplishments in data processing (Oct.) 177
Recent administrative changes (Oct.) 198
Recent books by NBS authors (Mar.) 64
Recent international comparisons of microwave power standards (Aug.) 155
Recent papers on data processing by NBS authors (Oct.) 195
Recommendations for a flight-load data-processing center (Oct.) 194
Refractometry study utilizes analog computer (Oct.) 190
Report on 1958 meeting of the International Committee on Weights and Measures (Jan.) 3
Research Highlights (NBS Annual Report, 1958) (May) 96
Research on atomic length standards (May) 85
Research on fluoroaromatic polymers for high-temperature and radiation-resistant materials (Apr.) 76
Resistance thermometry, high-temperature (Dec.) 233
Resistor noise, measurement of (Mar.) 48
Retrieval device, document (Oct.) 178
Russian, machine translation of (June) 101
Rydberg constant, confirmation of the (Dec.) 245

S

Samples, standard, program expanded (Dec.) 236
Schoonover named Associate Director (Jan.) 19
Scribner receives spectroscopy award (Apr.) 83
Searching of chemical literature by electronic computer (HAYSTAQ program) (Oct.) 192
Secretary of Commerce speaks on metric system (July) 124
Selector, rapid, for automatic document retrieval (Oct.) 178
Semiconductors, research on (May) 92
Separation and determination of certain metallic elements in high-temperature alloys (May) 90
Separation and determination of phosphate, silicate, and arsenate (July) 137
Shape of the atomic nucleus (Mar.) 45
Sieves, NBS supplies glass spheres for calibrating (Aug.) 148
Silicate, phosphate, and arsenate, separation and determination of (July) 137
Simple rotating molecular still (Apr.) 69
Single crystals, corrosion of (Aug.) 151
Single crystals, metal, growth of (July) 136
Solid state physics at NBS (May) 92
Sound insulation measurement, new standards on (Jan.) 13
Spectral radiant intensity, standards of (Nov.) 209
Spectroscopic source, plasma jet as a (July) 126
Spectroscopic studies of trapped radicals (Sept.) 164
Stainless steel box beams, thermal stresses in (June) 108
Standardizing fuel flow rates (Nov.) 204
Standard materials program expands (Dec.) 236
Standard samples for gases in metals (July) 134
Standard samples of glass spheres for calibrating sieves (Aug.) 148
Standard samples of nickel oxide powder (Apr.) 75
Standards and calibration activities in rapid growth (Dec.) 221
Standards and calibration in radio and electronics (Dec.) 226
Standards laboratories, NBS assistance to (Feb.) 21
Standards, new candlepower (Sept.) 163
Standards, new trends in (Jan.) 7
Standards of spectral radiant intensity (Nov.) 209
Statistical design for interlaboratory tests (Jan.) 16
Steel alloys, analysis of certain metallic elements in (May) 90
Steels, high-strength, fatigue properties of (Apr.) 74
Steel, box beams, stainless, thermal stresses in (June) 108
Still, molecular (Apr.) 69
Strains in concrete beams having diagonal cracks (May) 99
Strength of ceramics at high temperatures (July) 128
Stress-corrosion cracking, mechanism of (Mar.) 63
Stress corrosion studies (Aug.) 153

Page

Stroboscopic vibration analyzer for aircraft and missile structures (July) 122
Studies of reactions with low activation energies (Nov.) 206
Sugars, tritium-labeled, for tracer research (July) 130
Sulfur, pure, thermodynamic properties of (Feb.) 35
Surface, large, interferometer for testing (Mar.) 53
Surge-voltage dividers simulated by analog computer (Oct.) 189
Switching circuits, packaged, to prepare data for computer input (Oct.) 184
Symposium on free radical stabilization, fourth international
(Mar.) 62
(July) 139
(Nov.) 201
Symposium on the optical pyrometer temperature scale (June) 114

T

Tantalum gradient furnace (Jan.) 7
Tchen, Dr. Chan-Mou, wins Guggenheim award (July) 129
Telephone and power lines, vibration of (Apr.) 72
Temperature scale, optical pyrometer, symposium on (June) 114
Thermal degradation of collagen (July) 127
Thermal stresses in stainless steel box beams (June) 108
Thermodynamic properties of pure sulfur (Feb.) 35
Thermometers, liquid-in-glass, NBS circular on (Feb.) 25
Thermometry for low temperatures, precision (Dec.) 234
Thermometry, gas, high-temperature (Dec.) 235
Thermometry, resistance, high-temperature (Dec.) 233
Titanium alloys, analysis of tantalum and niobium in (May) 91
Torsional strength of small-diameter wire (Jan.) 5
Tracer research, tritium-labeled sugars for (July) 130
Transformer, German, tested (Nov.) 207
Transistor operation analyzed by analog computer (Oct.) 190
Translation of Russian, machine (June) 101
Tritium-labeled sugars for tracer research (July) 130
Twelfth annual gaseous electronics conference (July) 125

U

Ultraprecise attenuation measurement (Dec.) 230
Ultraviolet radiometry, absolute basis for (Dec.) 247
Units, new prefixes for (Oct.) 199

V

Vacuum standards program enlarged (Dec.) 240
Vertical incidence scatter from the ionosphere (Aug.) 157
Vibration analyzer, stroboscopic, for aircraft and missile structures (July) 122
Vibration of telephone and power lines (Apr.) 72
Vibration pickup calibration service established (Sept.) 166
Volumetric apparatus, glass, new publication on (Sept.) 168

W

Weights and measures, international committee on 1958 meeting (Jan.) 3
Wire, small-diameter, torsional strength of (Jan.) 5
Weights and measures manual for prepackaged commodities (Aug.) 156

X

X-rays, elastic scattering (Aug.) 144

Y

Yard, announcement on the International (Jan.) 1

Z

Zone melting simulated by analog computer (Oct.) 188


# Publications of the National Bureau of Standards

## Periodicals

*Journal of Research of the National Bureau of Standards*

Section A. Physics and Chemistry. Issued six times a year. Annual subscription: Domestic $4; foreign $4.75.

Section B. Mathematics and Mathematical Physics. Issued Quarterly. Annual subscription: Domestic $2.25; foreign $2.75.

Section C. Engineering and Instrumentation. Issued quarterly. Annual subscription: Domestic $2.25; foreign $2.75.

Section D. Radio Propagation. Issued six times a year. Annual subscription: Domestic $4; foreign $4.75.

*Section A. Physics and Chemistry, vol.* **63A,** *No. 3, November-December 1959.*

Multiple ionization of rare gases by electron impact. M. Krauss, R. M. Reese, and V. H. Dibeler.

Light scattering by commercial sugar solutions. C. J. Rieger and F. G. Carpenter.

Analysis of the first spectrum of ruthenium (Ru I), K. G. Kessler.

Supplementary Zeeman data for the first spectrum of ruthenium (Ru I), J. R. McNally, Jr. and K. G. Kessler.

Low even configurations in the first spectrum of ruthenium (Ru I), part 2, R. E. Trees.

Thermal degradation of polymers at high temperatures, S. L. Madorsky and S. Straus.

Influence of impurities on the pyrolysis of polyamides, S. Straus and L. A. Wall.

A preliminary list of levels and *g*-values for the first spectrum of thorium (Th I), R. Zalubas.

OH in the solar spectrum. C. E. Moore and H. P. Broida.

Use of Chebychev polynomials in thin film computations. K. D. Mielenz.

*Section B. Mathematics and Mathematical Physics, vol.* **63B,** *No. 2, October-December 1959.*

Page
122
206
130
35
53
189
184
62
139
201
114
7
129
72
114
127
108
35
25
234
235
233
91
5
130
207
190
101
130
125
230
247
199
240
157
122
72
166
168
3
5
156
144
1
188
er
G.
m
m
L.
us
m
D.
B,
n